

二、蟲害防治藥劑

藥劑名稱	作用機制	稀釋倍數	安全採收期(天)	作用機制代號	介殼蟲類
95%礦物油乳劑		95	免訂		●
99%礦物油乳劑		500	免訂		●
10%克凡派水懸劑	LS	1000	7		
50%培丹可溶性粉劑	S ▲	1000	14		
30%福隆納乃得水懸劑	▲ ▲	1500	20		
30%福隆納乃得水懸劑	▲ ▲	1000	20		
40%布芬淨水懸劑	▲	1500	18		●
20%布芬三亞蟎乳劑	▲ ▲	1000	18		●
25%芬諾克可溼性粉劑	▲	2000	12		
11%百利普芬乳劑	▲	1500	12	7C	●
11%百利普芬水基乳劑	▲				
13.5%納得亞滅寧乳劑	S ▲	1000	6	1A ; 3A	
33%納得護賽寧可溼性粉劑	S ▲	1200	9	1A; 3A	
40%納乃得可溶性粉劑	S ▲	1500	20	1A	
40%納乃得水溶性粒劑					
25%納乃得可溶性粒劑	S ▲	900	20	1A	
24%納乃得溶液	S ▲	750	20	1A	
25%丁基加保扶可溼性粉劑	S ▲	1000	12	1A	
25%丁基加保扶可溼性粉劑	S ▲	500	21	1A	●

	木虱 刺粉虱	薊馬類	蚜蟲類	潛葉蛾	銹蟎	葉蟎	其他	防治週期
							●	
							●	
		●					△	蛾類
				●				
				●		●		
						●		
							△	
				●				
				●				
				●				
				●				
				●				
						●		
	●					●		

藥劑名稱	作用機制	稀釋倍數	安全採收期(天)	作用機制代號	介殼蟲類
40%丁基加保扶可溼性粉劑	 	800	20	1A	●
48.34%丁基加保扶乳劑	 	1000	21	1A	●
31.6%丁基加保扶乳劑	 	400	21	1A	●
40.64%加保扶水懸劑	 	1200	7	1A	△
44%加保扶水懸劑	 	1200	7	1A	
31.6%丁基加保扶乳劑	 	1200	20	1A	
40%丁基加保扶可溼性粉劑	 	1200	20	1A	
20%免扶克乳劑	 	800	20	1A	
40%免扶克水懸劑	 	1200	20	1A	
10%毆殺滅溶液	 	350	7	1A	
40.64%加保扶水懸劑	 	100	10	1A	
44%加保扶水懸劑	 	100	10	1A	
50%加保利可溼性粉劑	 	500	18	1A	
85%加保利可溼性粉劑	 	850	18	1A	
50%陶滅蟲可溼性粉劑		1000	21	1B; 1A	
50%陶斯松可溼性粉劑		1500	7	1B	
25%滅賜松乳劑	 	1000	14	1B	
25%硫滅松乳劑	 	1000	18	1B	
25%硫滅松乳劑	 	500	18	1B	
50%益滅松可溼性粉劑		500	18	1B	

	木虱 刺粉虱	薊馬類	蚜蟲類	潛葉蛾	銹蟎	葉蟎	其他	防治週期
		●						
		●						
			●					
●	△	●		△				
●		●						
		●						春夏芽萌發前
		●						春夏芽萌發前
		●	●					春夏芽萌發時
		●	●					新芽萌發時
			●	●				
							星天牛	4-5月間成蟲出現時
							星天牛	4-5月間成蟲出現時
							椿象類	
							椿象類	
		△						
			●					
		●	●					
		●	●					
			●					萌芽時
			●					新芽萌發時

藥劑名稱	作用機制	稀釋倍數	安全採收期(天)	作用機制代號	介殼蟲類
50%馬拉松乳劑	▲	800	14	1B	●
50%馬拉松水基乳劑	▲				
50%馬拉松乳劑 + 95%夏油乳劑	▲	800 + 95	14	1B	●
20%大滅松乳劑	S ▲	450	21	1B	●
44%大滅松乳劑	S ▲	1000	21	1B	●
40%滅大松乳劑	▲	1000	18	1B	●
50%加福松乳劑	▲	1200	15	1B	●
50%加福松乳劑	▲	1500	15	1B	
40%益滅賽寧可溼性粉劑 (益滅松+賽滅寧)	▲	2500	12	1B; 3A	
25%陶斯寧乳劑 (陶斯松+賽滅寧)	▲	1000	14	1B; 3A	
25%陶斯寧水基乳劑					
25%佈飛賽滅寧乳劑 (佈飛松+賽滅寧)	▲	1000	21	1B; 3A	
5%護賽寧溶液	▲	1500	9	3A	
1%賽洛寧可溼性粉劑	▲	1600	14	3A	
2.8%賽洛寧乳劑	▲	4000	14	3A	
2.8%賽洛寧水懸劑	▲				
2.5%賽洛寧微乳劑	▲				
2.46%賽洛寧膠囊懸著液	▲				

木蝨 刺粉蝨	薊馬類	蚜蟲類	潛葉蛾	銹蟎	葉蟎	其他	防治週期
●		●	●				
●		●	●				
●		●	●			椿象類	萌芽期；結果期
●		●	●			椿象類	
			●				萌芽時
			●				新芽萌發時
			●			蛾類	
			●				新芽萌發時
			●				新芽萌發時
			●				新芽萌發時

藥劑名稱	作用機制	稀釋倍數	安全採收期(天)	作用機制代號	介殼蟲類
2.5%賽洛寧微乳劑					
2.46%賽洛寧膠囊懸著液					
2.5%畢芬寧水懸劑					
2.5%畢芬寧水懸劑					
2.8%畢芬寧乳劑					
2.8%畢芬寧乳劑					
37%第滅達胺水懸劑 (第滅寧+益達胺)	▲	2000	30	3A;4A	
18.2%益達胺水懸劑	S ▲	3000	21	4A	
9.6%益達胺水懸劑	▲	1500	21	4A	
11.7%賜諾特水懸劑	▲	4000	6	5	
11.7%賜諾特水懸劑	▲	2000	6	5	

	木虱 刺粉虱	薊馬類	蚜蟲類	潛葉蛾	銹蟎	葉蟎	其他	防治週期
		●						
				●				新芽萌發時
						●		
		●						
		●						
	△	●	△					勿用於花期
	△	●	△					勿用於花期
		●		●				
				●			蛾類	